

DAY TWO DOCTORS WORKSHOP

Group I:

ADHERENCE:

- Cheating/ lies
- Poor insight
- Depression
- Drugs/ alcohol
- stigma
- Lack of support
- Exam/ School commitment

REPRODUCTIVE HEALTH

- SIT's
- Disclosure to partners
- Teenagers pregnancy

COMMUNICATION

- Lack of confidence HCW's
- Lack of one-on-one consult
- Cares unwilling to allow child autonomy
- Non disclosure to teenage/ inadequate counseling

SOCIAL /FAMILY STRUCTURE

- Head of household responsibilities
- Come to the clinic alone
- Disclosure to peers/others.

SCHOOL PERFORMANCE

- Lost to follow up
- Not clear pathway to the adult clinic
- Lack of adolescent friendly clinic

Group II

1. Adherence
2. Not adolescent centered Facilities in some hospitals disconnected from children and adults.
Difficult to make relationship in big clinics
3. Child headed households and rejected sometimes by society
4. Adolescents revolt against the parents or blame them
5. If no parent, they have a lot of socio-economic problem/ transport
6. Rural area distance esp with paediatrics
7. Pregnancy/ sexuality and non disclosed partners
8. Angola- abortion/bunch street
9. Growth dev delay
10. Learning problems
11. Fear of sudden death/ hopelessness- suicide (not often)
12. Alcohol/drugs/sex because no future
13. Denial of test by relatives esp males
14. Grief-loss of parents/most vulnerable if parents died of HIV
15. Transactional sex
16. School fees/uniforms/exam fees/homeless
17. Judgmental staff who don't welcome patients consistently everybody
18. Time management problem/busy in school
19. Not sympathetic teachers who insult size etc of children
20. Poor self esteem- appearance/ don't belong-want to belong to any group of friends
21. Permanent disability blind, death, statue, cognitive dysfunction, chronic chest,...
22. Lack of psychosocial support- community doesn't offer good support/no support groups for adolescents
23. Future is difficult if hop out. Medical professionals take responsibility as have saved life of child
24. Legal issues

Group III

Number of adolescents

- Lack of specific teenagers VCT
- Not clear program because they are few
- Difficult to incorporate adolescent specific program

- Little space to make adolescent friendly clinic
- Paediatric and adolescent and then adult clinics
- Lack of interest
- Resistance to referral from the parents
- Small community conservative, taboos, few volunteers, few CHW
- Communication / language barriers